



Guangzhou Jetinno Intelligent Equipment Co., Ltd

Address: 4F, No. 2, Ruitai Road, Huangpu District, Guangzhou, China

Email: inquiry@jetinno.com

Website: www.jetinnovending.com

www.jetinnomachine.com

JETINNO®
INSPIRE LIFE BETTER



JETINNO[®]
INSPIRE LIFE BETTER

Create meticulously crafted
coffee machines of unparalleled quality
Deliver an exquisite coffee experience that
leaves customers thoroughly
content with each sip of its brewed perfection.



CONTENTS

Company profile	01
History	03
Advantage	04
Customer service	05

Partners	06
I-Jetinno Platform	08
Core Modules	09
Application scenario	13

OCS	15
OCS-PM	
JL22	17
JL23	19
JL24	21
JL18	23
JL26	25
JL50	27
OCS-FM	
JL08	29
JL09	31
JL10	33
JL15	35
JL29	37
JL30	39
JL31	41

Ho.Re.Ca	43
JL35	45
Vending	47
JL28	49
JL300	51
JL500	53
JL510	55

Coffee to Go	57
JL550	59
JL560	61
JL852I	63

Product parameters	65
---------------------------	-----------

Company profile

Since 2013, JETINNO is an intelligent equipment company focused on building commercial coffee machines and solutions that are needed for the market. We produce coffee machines for vending, HORECA and OCS deployments. JETINNO consistently focuses on manufacturing exceptional coffee machines to bring more convenient and better coffee drinking experience for everyone.



17+

Years experience



2

Subsidiary Companies



500+

Partners



2

Production Bases



50000+

Sets annually



1

R&D center

Sustainability

Sustainability is at the heart of everything we do at Jetinno. Our commitment to the safety and well-being of our employees is the foundation of our exceptional products and services.

We adhere to the highest international standards, including ISO 9001 and ISO 14001, in order to advance our safety, quality, and environmental policies.

Our goal is to create a more sustainable world for our customers, employees, and society, and we strive to achieve that goal every day.

Our Vision

Become a world-class coffee equipment manufacturer

Our Mission

Make high quality coffee equipment & inspire people's life.

Corporate Value

Be creative & self-motivation,
Innovate to create a better life.

Corporate Creed

Pragmatic & hard-working,
Cooperation with full initiative.



History

2013

- Established

2014

- Launched coffee vending machine

2015

- Launched table-top coffee machine

2016

- Jetinno entered overseas market.

2017

- Won strategic investment from Rontai Health
- Set up Jetinno new R&D center

2018

- Started ODM cooperation with La Cimbali
- Launch coffee machine with ice maker
- Join EVA, NAMA associations

2019

- Built Jetinno overseas stores
- Set up a Jetinno subsidiary

2020

- Started cooperation with Luckin Coffee
- Started cooperation with Schaerer
- Built Jetinno 2nd workshop

2021

- Imported IPD management system
- Launched JL35 series coffee machines

2022

- Won “Green +” Enterprise Award
- Launched JL852 Premium coffee vending machines

2023

- Launched JL15/30 series coffee machines

Advantage


More than a decade of hands-on expertise and ongoing innovation



Joris Hendriks
Jetinno's Chief R&D Advisor



2600+m² R&D Center with 4 labs
Standard IPD system for new product development



70+ R&D engineers
150+ patents

Crafting top-quality machines by meticulous 406 production processes



2 factories
10,000+m²workshops



Over 100 production operators
Annual output of 100,000+ units.



ISO system conformity
Multiple product certifications

Customer service

Jetinno adheres to the service principles of integrity, reliability, responsibility, and efficiency. These principles have been integrated into every aspect of our operations, from product design, production, and sales to after-sales service, ensuring that we deliver professional service to our customers promptly and enhance customer satisfaction.




Product Training
Maintenance Training
Repairing Training

Service team responses within 24 hours
Video call trouble-shooting
On-site trouble-shooting

Visit Jetinno's Spare Parts website
Pick items and check price
Contact service team to get invoice
Regular follow-up from service team

Partners

Jetinno serve nearly a thousand businesses in 60+ countries with quality and sales supports. With its quality products and helpful service system, Jetinno has now worked with over one thousand customers spanning over 60 countries and regions worldwide.



I-Jetinno Platform

I-Jetinno: One-Stop Solution

Jetinno's coffee vending machine cloud management platform enabling effortless swift equipment maintenance, and real-time operational data control.



Coffee Vending Machine Self-Service System

Individual coffee machine's local management platform.

Consumer User Interface

Menu
QR payment
Fault alerts

Operator User Interface

Recipe management
Automatic cleaning set up



Cloud SaaS Management Platform

Single or multi-machine IoT management platform

Merchant Management

Real-time Message Synchronization



Equipment Management

Sales Management

Remote Monitoring

Core Modules

Equipped with multiple international patented hardware modules, are custom-produced by high-quality international suppliers to ensure the overall stability and reliability of Jetinno coffee machines, providing hardware support for high-quality products.

Grinding system



Swiss Ditting EMH64 Grinder

- 64mm flat burr (steel)
- 650,000 grind cycles



Jetinno PGH64 Grinder

- 64mm flat burr (steel)
- 125,000 grind cycles

Extraction system



Jetinno Espresso Brewer


- Jetinno patent
- 6-14g/ 8-20g
- Pre-infusion
- Lifetime: 125,000 times



Jetinno Filter Brewer

- 6-11g coffee and tea powder
- Pre-infusion technology
- Easy of cleaning

Foaming system



Hot&Cold milk foam unit

- Italian Fluid-o-tech milk pump
- Hot/cold milk foam & milk
- Automatic timed cleaning



Hot milk foam unit

- Hot milk & milk foam
- Froth temperature above 60°C
- Easy Cleaning

Water System



Hot Water System

- 92°C extraction temperature
- 9 bars of coffee extraction pressure
- Real-time monitoring



Ice Maker

- Precision ice control technology
- Capacity of 1.5kg
- Daily ice production of 72kg

Automatic Cup System



Cup Dispensing

- 5 columns of cups
- Real-time monitoring
- No-cup alert



Lid Dispensing

- Real-time monitoring
- No-lid alert

Mixing System



Powder canister

- Precision control
- Residue-free powder
- Easy cleaning




Mixer

- Tunnel-type dehumidification
- Adjustable mixing speed

Application scenario

With a deep understanding of customer needs, Jetinno expertly crafts top-tier commercial coffee machines, and provides comprehensive solutions for OCS, Ho.Re.Ca, Vending, and Coffee to GO segment markets.





OCS

Compact and sleek, very friendly for location and easy to maintain.
Refresh your mind for the day's work with a cup of freshly ground coffee.

JL22





Daily output : 150 cups/day

Certificate:



MODEL LAYOUT



Color customization



Optional
Base cabinet

HIGHLIGHTS



JL22 is a small sized bean to cup coffee machine that delivers high quality coffee and a big range of drink options, which is a perfect option for small establishments.



Ease of Maintenance

Separate management of powder and waste bins for improved operational efficiency.



Compact Design

Suitable for limited-space environments, optimizing small-space utilization.



Adjustable Dual Spouts

80-115mm adjustable spout range, accommodating various coffee cup sizes.

Product Details



JL23




Daily output : 200 cups/day

Certificate:

CQC CE CB EPCS

MODEL LAYOUT



Color customization



Optional
Base cabinet

HIGHLIGHTS



JL23 is a compact professional coffee machine that delivers high-quality coffee and a range of drink options. It is perfect for places that offer an excellent coffee experience without taking up too much space.



Good Coffee Performance

Equipped with Ditting grinder and Jetinno patented brewer, JL23 ensures precise control over bean grinding and espresso extraction, which is essential for good coffee performance.



A Variety of Drinks

Designed with multi canisters, able to make many kinds of beverages.



10.1-inch touchscreen

Dual spout design for one-touch preparation of two cups of black coffee.

Product Details



JL24





Daily output : 150 cups/day

Certificate:

CQC CE CB EAC

MODEL LAYOUT



Color customization



Optional
Base cabinet

HIGHLIGHTS



JL24 is a cutting-edge coffee machine ideal for offices of any size. It delivers exceptional control over in-cup quality, boosts productivity, and offers a diverse range of coffee options.



Optimized Machine Designs

The upgraded machine structure ensures the whole machine tightly sealed and the improved dehumidification system prevents spoiling of ingredients. Both help to maintain the machine with a high level of hygiene.



Sleek and Stylish

Sleek and modern with a 14 inch screen and a polished metal finish, giving it a sophisticated and elegant appearance.



Larger capacity

Larger power canisters to reduce the need for frequent refills, suitable for high-frequency usage in space-limited office settings.

Product Details




JL18





Daily output : 250 cups/day

Certificate:



MODEL LAYOUT



Color customization



Optional
Base cabinet

HIGHLIGHTS



JL18 is a compact but super professional bean to cup coffee machine. Minimal footprint but strong hourly and daily outputs, it is suitable for small-sized premises that provide frequent and quality coffee service.



Quality Coffee

Use Ditting professional grinders and Jetinno professional brewers, perfect for high-quality coffee and fast serving.



Large-capacity

Large bean hopper and big daily output, which makes it perfect for places that has limited space for the machine but need to provide very frequent coffee service.



Compact and Sleek

Designed with a very compact size and a vertically installed 14" touch screen, which is powered by an intuitive OS interface, JL18 displays attractively slim machine body and stunning face.

Product Details



JL26






Daily output : 250 cups/day

Certificate:

CQC CE CB EPCS

MODEL LAYOUT



Color customization



Optional
Base cabinet

HIGHLIGHTS



Product Details



JL26 is a professional coffee machine that offers a range of drink options and delivers top-quality coffee. With its advanced grinding and brewing technology and intuitive interface, this professional coffee machine can satisfy even the most discerning coffee lovers.



Quality Coffee

Utilizes Ditting professional grinders and espresso brewers, support for high-quality coffee and fast serving.



Multiple Canisters

With 3 instant powder canisters, JL26 can offer a variety of beverage variety to cater to diverse preferences.



Sleek and Sturdy

Sleek and modern design, with a 14 inch screen and fully metal -made exterior, stylish and able to withstand the vigors of daily use.

JL50





Daily output : 250 cups/day

Certificate:



MODEL LAYOUT



Color customization



Optional
Base cabinet

HIGHLIGHTS



JL50 is an professional and productive bean to cup coffee machine. With patented dual brew system and various drink options, it is the best choice for big offices, hotels that need both high quality coffee and high daily output.



Dual-Brewing System

Dual bean hoppers, dual grinders, and dual coffee brewing units enable the machine to prepare different types of coffee



One-Touch Double Cups

Dual spout design for one-touch preparation of two cups of black coffee or milk coffee.
Adjustable spout height from 80-180mm to accommodate various coffee cup heights.



Productive and Efficient

Commercial-grade components, such as a water boiler and gear pump, significantly reduce preparation time between two cups.

Product Details



JL08




Daily output : 30 cups/day

Certificate:



MODEL LAYOUT



Color customization



Optional
8L water tank

HIGHLIGHTS



JL08 is a compact and reliable fully automatic coffee machine, ideal for small offices and hospitality spaces, and also households that are seeking premium espresso coffee quality.



Professional Grinder

Use 64mm commercial-grade steel flat burr grinders with 9 adjustable grinding levels, ensuring stable and even fine grinding.



High-Quality Extraction


Patented S14 (or S20) coffee brewer for professional espresso extraction, ensuring consistent coffee quality.



No-bean Detection

Detects bean shortages in the coffee bean hopper, providing real-time remote reminders for timely bean refilling, making maintenance worry-free.

Product Details



JL09




Daily output : 30 cups/day

Certificate:

CQC CE CB

MODEL LAYOUT



Color customization



Optional
8L water tank

HIGHLIGHTS



Product Details



JL09 is a compact and reliable fully automatic coffee machine, with a separate steam wand, ideal for small offices and coffee enthusiasts who are seeking premium espresso coffee quality.



Professional Grinder

Use 64mm commercial-grade steel flat burr grinders with 9 adjustable grinding levels, ensuring stable and even fine grinding.



Steam Wand

Powerful steam wand for creating quality milk foam, allowing for more creativity and enjoyment in coffee beverages.



No-bean Detection

Detects bean shortages in the coffee bean hopper, providing real-time remote reminders for timely bean refilling, making maintenance worry-free.

JL10




Daily output : 30 cups/day

Certificate:



MODEL LAYOUT



Color customization




Optional
8L water tank
Fresh Milk Fridge

HIGHLIGHTS



Product Details



JL10 is a fully automatic coffee machine, small in size but big in drink options, which is the ideal machine of black coffee and fresh milk flavored coffee for small and medium-sized premises.



Professional Grinder

Use 64mm commercial-grade steel flat burr grinders with 9 adjustable grinding levels, ensuring stable and even fine grinding.



Fresh Milk Frothing

Fully automatic intelligent milk froth production for one-touch milk coffee preparation, effortlessly creating various rich and creamy milk coffee beverages



No-bean Detection

Detects bean shortages in the coffee bean hopper, providing real-time remote reminders for timely bean refilling, making maintenance worry-free.

JL15




Daily output : 60 cups/day

Certificate:



MODEL LAYOUT



Color customization




Optional
8L water tank
Fresh Milk Fridge

HIGHLIGHTS



Product Details



JL15 is a fully automatic coffee machine, small in size but big in drink options, which is the ideal machine of black coffee and fresh milk flavored coffee for small and medium-sized premises.



Quality Extraction

Patented S14 (or S20) coffee brewer for professional espresso extraction, ensuring consistent coffee quality.



Fresh Milk Frothing System

Fully automatic intelligent milk froth production for one-touch milk coffee preparation, effortlessly creating various rich and creamy milk coffee beverages.



Dual Boiler System

Heating hot water and steam separately for improved stability and efficiency.

JL29





Daily output : 100 cups/day

Certificate:

CQC CE CB

MODEL LAYOUT



Color customization



Optional

8L water tank

HIGHLIGHTS



Product Details



JL29 is a high-capacity, fully automatic coffee machine featuring professional coffee grinding and brewing technology, delivering exceptional espresso coffee quality. It is suitable for commercial establishments such as coffee lounges, offices, restaurants, and more.



Professional Grinder

Use 64mm commercial-grade steel flat burr grinders with 9 adjustable grinding levels ensuring stable and even fine grinding.



14g/20g Brewer

Patented S14 (or S20) coffee brewer for professional espresso extraction, ensuring consistent coffee quality.



Detachable Brewer

The coffee brewer is designed for quick disassembly and cleaning, ensuring the cleanliness and hygiene of the machine's interior.

JL30




Daily output : 100 cups/day

Certificate:



MODEL LAYOUT



Color customization



Optional
8L water tank
Fresh Milk Fridge

HIGHLIGHTS



Product Details



JL30 is a fully automatic fresh milk coffee machine. Small in size but powerful in drinks, the machine compliments a variety of premium business scenarios such as VIP lounge, offices and hospitality spaces etc.



14g/20g Brewer

Patented S14 (or S20) coffee brewer for professional espresso extraction, ensuring consistent coffee quality.



Fresh Milk Frothing System

Fully automatic intelligent milk froth production for one-touch milk coffee preparation, effortlessly creating various rich and creamy milk coffee beverages.



Detachable Brewer

The coffee brewer is designed for quick disassembly and cleaning, ensuring the cleanliness and hygiene of the machine's interior.

JL31





Daily output : 100 cups/day

Certificate:

CQC CE CB

MODEL LAYOUT



Color customization



Optional

8L water tank
Fresh Milk Fridge

HIGHLIGHTS



Product Details



JL31 is a stylish and fully automatic fresh milk coffee machine, offering consistent coffee quality and high cup efficiency. It is suitable for frequent-use environments such as office businesses, hotels, convenience stores, and tea houses.



Commercial Brewing System

Utilizes Jetinno P14/P20 brewers, top-of-the-line in the commercial sector, ensuring coffee quality.



Dual Pumps & Dual Boilers

Simultaneous coffee and milk preparation to enhance beverage production efficiency and reduce customer waiting time.



Hot Water Spout

Independent hot water spout for one-touch hot water dispensing, providing convenience and speed.



Ho.Re.Ca.

Professional and productive, stable in-cup coffee quality with fresh milk and syrup options.

JL35




Daily output : 250 cups/day

Certificate:



MODEL LAYOUT



Color customization



Optional
Base cabinet
Syrup Module
Fresh Milk Fridge

HIGHLIGHTS



Product Details



JL35 is a sophisticated fully automatic fresh milk coffee machine which ensures the control over in-cup quality, productivity and variety of drinks. It is perfect to use in HORECA, CVS, bakeries, etc.



Dual-Brewing System

Dual bean hoppers, dual grinders, and dual coffee brewing units enable the machine to prepare a variety of flavor drinks, and increase the efficiency and capacity of the machine.



Hot and Cold Milk Frothing

Equipped with Italian Fluid-o-tech professional milk pump and heated by a separate steam boiler, JL35 can produce dense and silky hot/cold milk foam which is always generated under the optimal temperature and humidity.



A Variety of Drinks

Designed with 2 bean hoppers and 2 canisters, JL35 is able to offer 20 plus diverse beverages.



Vending

Superior self-service coffee experience by elegant screen, intuitive menu, fast production, smooth cup dispensing and capping, and finally satisfaction of the sip. Ease of maintenance.

JL28




Daily output : 200 cups/day

Certificate:

CQC CE CB

MODEL LAYOUT



Color customization



Optional
Base cabinet

HIGHLIGHTS



Product Details



JL28 is a versatile table top coffee vending machine with built-in auto cup dispenser. Extended with a base cabinet (optional), it can be used as a free-standing vending machine too.



Auto Cup Dispensing

Built with a 5 columns cup dispenser which can store 75 cups, JL28 is truly automatic and convenient.



Sleek and Well-sealed

Sleek exterior design with a 14 vertically installed screen and a polished metal finish. The whole machine is tightly sealed to prevent intrusion of bugs.



A Variety of Drinks

Designed with 4 instant canisters, able to make over 20 kinds of beverages.

JL300






Daily output : 150 cups/day

Certificate:



MODEL LAYOUT



Color customization



Optional
BIB/Top Light Box

HIGHLIGHTS



Product Details



JL300 is a stunning coffee vending machine which is stylish in appearance, professional in beverages brewing, powerful in drink options and smooth in vending experience.



Stylish Design

Sleek and modern appearance with 21.5" vertical screen and visible bean grinding, and thoughtful with a packing deck and a menu bar for disabled people.



Advanced IoT Functions


Multiple methods for promotion and ads, real-time monitoring and remote management.



High level of hygiene

The whole machine is tightly sealed to prevent intrusion of bugs and thus maintain a high level of hygiene.

JL500






Daily output : 250 cups/day

Certificate:



MODEL LAYOUT



Color customization



Optional
BIB/Top Light Box

HIGHLIGHTS



JL500 is a professional grade bean to cup coffee vending machine. With its advanced grinding and brewing system and user-friendly interface, the machine consistently delivers barista-quality coffee and other drinks with pleasant ordering experience.



Premium Grinding and Brewing

Equipped with Ditting EMH64 grinder and Jetinno patented brewer, JL500 is capable to consistently and stably prepare a high quality espresso for whatever recipes of coffee drinks.



20+ Kinds of Drinks


Built with multi canisters, enabling the machine to prepare over 20 hot and cold beverages.




Advanced IoT Functions

Multiple methods for promotion and ads, real-time monitoring and remote management.

Product Details



JL510





Daily output : 250 cups/day

Certificate:



MODEL LAYOUT



Color customization




Optional
BIB/Top Light Box

HIGHLIGHTS



Product Details



JL510 is a bean to cup coffee vending machine with built-in ice cube maker. Powerful in drink options and strong in vending service, JL510 is made to delight consumers with all-season flavor drinks.



Ice, Cold and Hot Drinks

Equipped with a powerful ice maker which one time stores 1.5kg ice cubes for 13 cups, JL510 can produce over 40 kinds of ice, cold and hot drinks.



Ultimate Vending Experience

Equipped with a stunning 27" screen and advanced automatic cup dispensing and cup lid capping system.



Ease of Maintenance

Independent segmented storage space, making it easy for third-party service personnel to add bottled water or ingredients.



Coffee to Go

Imagine a specialty coffee house, unmanned but attended by a machine barista, where you can stop for a cup of premium flavor coffee.

JL550






Daily output : 250 cups/day

Certificate:



MODEL LAYOUT



Color customization



Optional
BIB/Top Light Box

HIGHLIGHTS



JL550 is a fully automatic vending machine that serves over 20 different drinks, including hot coffee, tea, and cold juice. It offers contactless payment and "grab and go" convenience.



Ultimate Vending Experience

Equipped with a stunning 27" screen and advanced automatic cup dispensing and cup lid capping system.



Ease of Maintenance

Scheduled automatic cleaning for the entire machine or specific components, reducing the risk of beverage residue in the pipelines and increasing beverage hygiene and safety.




Advanced IoT Functions

Enables real-time monitoring of device status via a smartphone or computer, including powder levels, beverage sales, fault handling, and more, without the need for on-site personnel.

Product Details



JL560





Daily output : 250 cups/day

Certificate:

CQC CE CB

MODEL LAYOUT



Color customization



Optional
BIB/Top Light Box

HIGHLIGHTS



Product Details



JL560 ice coffee machine offers 40+ hot and cold beverages, with automatic capping and an auto-lifting door for convenient grab-and-go service, enhancing the coffee-buying experience.



Ice, Cold and Hot Drinks

Equipped with a powerful ice maker which one time stores 1.5kg ice cubes for 13 cups, JL560 can produce over 40 kinds of ice, cold and hot drinks.



Advanced IoT Functions

Multiple methods for promotion and ads, real-time monitoring and remote management.



Ultimate Vending Experience

Stunning 27" screen and visible fresh bean grinding process, advanced automatic cup dispensing and cup lid capping system.

Configuration	JL22		JL23
	JL22-ES4C	JL22-IN5C	JL23-ES4C
Daily Output	150 cups	150 cups	200 cups
Certification	CB,CE,EPCS,CQC	CB,CE,EPCS,CQC	CB,CE,EPCS,CQC
Dimension/Net Weight	400*675*550 mm / 42kg	400*580*550 mm / 40kg	400*667*550 mm / 42kg
Voltage/Frequency/Rated Power	220-240V 50/60Hz/2700W	220-240V 50/60Hz/2700W	220-240V 50/60Hz/2700W
Operation Interface	10.1“ touch screen	10.1“ touch screen	10.1“ touch screen
Bean Hopper	1.5kg x 1	x	1.5kg x 1
Grinder	Jetinno PGH64 x 1	x	Ditting EK7 x 1
Espresso Brewer	P14/P20 (optional)	x	P14/P20 (optional)
Filter Brewer	x	x	x
Instant Canister	1.5L x 3	1.5L x 5	1.5L x 3
Mixer	2	3pcs, 4pcs(optional)	2
Hot Water Boiler	Boiler x 1	Boiler x 1	Boiler x 1
Steam Boiler	x	x	x
Water Pump Type	Piston pump x 1	Piston pump x 1	Gear pump x 1
Milk System	x	x	x
Spout Height	80-115mm	80-115mm	80-115mm
Hot Water Spout	x	x	x
Steam Wand	x	x	x
Waste Bin	50 waste cakes, direct slagging off (optional)	x	50 waste cakes, direct slagging off (optional)
Drip Tray	1.5L, direct drainage (optional)	1.5L, direct drainage (optional)	1.5L, direct drainage (optional)
Wastewater Full Detection	✓	✓	✓
Water Supply	Tap water(default), barrelled water(optional)	Tap water(default), barrelled water(optional)	Tap water(default), barrelled water(optional)
Internet	WiFi (default) 4G (optional)	WiFi (default) 4G (optional)	WiFi (default) 4G (optional)
Payment	QR code, Nayax, or other MDB protocols	QR code, Nayax, or other MDB protocols	QR code, Nayax, or other MDB protocols
OS	Android	Android	Android
IOT	Optional	Optional	Optional
PIR Sensor	x	x	x
Reverse QR Code Payment	x	x	x
Cup sensor	x	x	x
Base Cabinet	Optional	Optional	Optional
Manual Cup Dispenser	Optional	Optional	Optional

JL24		JL18	
JL24-ES4C	JL24-IN5C	JL18-ES3C	JL18-BTC3C
150cups	150 cups	250 cups	250 cups
CB,CE,EPCS,CQC	CB,CE,EPCS,CQC	CB,CE,CQC	CB,CE,CQC
420*740*535 mm / 45kg	420*671*535 mm / 42kg	310*713*482 mm / 40.5kg	310*713*482 mm / 40.5kg
220-240V 50/60Hz/2700W	220-240V 50/60Hz/2700W	220-240V 50/60Hz/2700W	220-240V 50/60Hz/2700W
14“ touch screen	14“ touch screen	14“ touch screen(vertical screen)	14“ touch screen(vertical screen)
1.5kg x 1	x	1.8kg x 1	1.8kg x 1
Jetinno PGH64 x 1	x	Ditting EMH64 x1 / Jetinno PGH64 (optional)	Ditting EMH64 x1 / Jetinno PGH64 (optional)
P14/P20 (optional)	x	P14/P20 (optional)	x
x	x	x	14g x 1(tea)
2L x3	2L x5	3.5L x 1+2.3L x1	3.5L x 1+2.3L x1
2	3pcs, 4pcs(optional)	1	1
Boiler x 1	Boiler x 1	Boiler x 1	Boiler x 1
x	x	x	x
Piston pump x 1	Piston pump x 1	Gear pump x 1	Piston pump x 1
x	x	x	x
80-120mm	80-120mm	140 mm	140 mm
x	x	✓	✓
x	x	x	x
50 waste cakes, direct slagging off (optional)	x	50 waste cakes, direct slagging off (optional)	50 waste cakes, direct slagging off (optional)
1.5L, direct drainage (optional)	1.5L, direct drainage (optional)	1.3L, direct drainage (optional)	1.3L, direct drainage (optional)
✓	✓	✓	✓
Tap water(default), barrelled water(optional)	Tap water(default), barrelled water(optional)	Tap water(default), barrelled water(optional)	Tap water(default), barrelled water(optional)
WiFi (default) 4G (optional)	WiFi (default) 4G (optional)	WiFi (default) 4G (optional)	WiFi (default) 4G (optional)
QR code, Nayax, or other MDB protocols	QR code, Nayax, or other MDB protocols	QR code, Nayax, or other MDB protocols	QR code, Nayax, or other MDB protocols
Android	Android	Android	Android
Optional	Optional	Optional	Optional
Optional	Optional	x	x
Optional	Optional	x	x
Optional	Optional	Optional	Optional
Optional	Optional	Optional	Optional
Optional	Optional	Optional	Optional

Configuration	JL08	JL09
	JL08-ES1C	JL09-ES1C
Daily Output	30 cups	30 cups
Certification	CE/CB/CQC	CE/CB/CQC
Dimension	300*440*490mm	300*440*490mm
Net Weight	15kg	15kg
Voltage/Frequency	220-240V 50/60Hz	220-240V 50/60Hz
Rated Power	1700W	1700W
Operation Interface	7" touch screen	7" touch screen
Bean Hopper	500g x 1	500g x 1
Grinder	Jetinno SGH64 x 1	Jetinno SGH64 x 1
Espresso Brewer	S14/S20 (optional)	S14/S20 (optional)
Hot Water Boiler	Thermoblock x 1	Thermoblock x 1
Steam Boiler	x	x
Water Pump Type	Piston pump x 1	Piston pump x 1
Spout Height	80-160mm	80-160mm
Steam Wand	x	✓
Waste Bin	20 cakes	20 cakes
Drip Tray	0.7L	0.7L
Milk System	x	x
Fresh Milk Refrigerator	x	x
Bean Detection	✓	✓
Wastewater Full Detection	✓	✓
Water Supply	2L (8L) water tank, barrellled water and mains water (optional)	2L (8L) water tank, barrellled water and mains water (optional)
Internet	Optional Wifi or 4G	Optional Wifi or 4G
Payment	Optional, MDB Protocol Payment / QR Code Payment	Optional, MDB Protocol Payment / QR Code Payment
OS	Android	Android
IOT	Optional	Optional
PIR Sensor	x	x
Reverse QR Code Payment	x	x
Cup Sensor	x	x
Base Cabinet	x	x

JL10	JL15
JL10-ES1C-FV	JL15-ES1C-FV
30 cups	60 cups
CE/CB/CQC	CE/CB/CQC
300*440*490mm	300*440*490mm
15kg	15kg
220-240V 50/60Hz	220-240V 50/60Hz
1700W	1700W
7" touch screen	7" touch screen
500g x 1	500g x 1
Jetinno SGH64 x 1	Jetinno SGH64 x 1
S14/S20 (optional)	S14/S20 (optional)
Thermoblock x 1	Thermoblock x 1
x	Thermoblock x 1
Piston pump x 1	Piston pump x 1
80-160mm	80-160mm
x	x
20 cakes	20 cakes
0.7L	0.7L
✓	✓
Optional, 4L	Optional, 4L
✓	✓
✓	✓
2L (8L) water tank, barrellled water and mains water (optional)	2L (8L) water tank, barrellled water and mains water (optional)
Optional Wifi or 4G	Optional Wifi or 4G
Optional, MDB Protocol Payment / QR Code Payment	Optional, MDB Protocol Payment / QR Code Payment
Android	Android
Optional	Optional
x	x
x	x
x	x
x	x

Configuration	JL29A	JL29B
	JL29A-ES1C	JL29B-ES1C
Daily Output	100 cups	100 cups
Certification	CE/CB/CQC	CE/CB/CQC
Dimension	300*540*490mm	300*540*490mm
Net Weight	15kg	15kg
Voltage/Frequency	220-240V 50/60Hz	220-240V 50/60Hz
Rated Power	1700W	1700W
Operation Interface	7" touch screen	7" touch screen(vertical screen)
Bean Hopper	1200g x 1	1200g x 1
Grinder	Jetinno SGH64 x 1	Jetinno SGH64 x 1
Espresso Brewer	S14/S20 (optional)	S14/S20 (optional)
Hot Water Boiler	Thermoblock x 1	Thermoblock x 1
Steam Boiler	x	x
Water Pump Type	Piston pump x 1	Piston pump x 1
Spout Height	80-160mm	80-160mm
Hot Water Spout	x	x
Waste Bin	40 waste cakes, direct slagging off (optional)	40 waste cakes, direct slagging off (optional)
Drip Tray	1L, direct drainage (optional)	1L, direct drainage (optional)
Milk System	x	x
Fresh Milk Refrigerator	x	x
Bean Detection	✓	✓
Wastewater Full Detection	✓	✓
Water Supply	2L (8L) water tank, barrellled water and mains water (optional)	2L (8L) water tank, barrellled water and mains water (optional)
Internet	Optional Wifi or 4G	Optional Wifi or 4G
Payment	Optional, MDB Protocol Payment / QR Code Payment	Optional, MDB Protocol Payment / QR Code Payment
OS	Android	Android
IOT	Optional	Optional
PIR Sensor	x	x
Reverse QR Code Payment	x	x
Cup Sensor	x	x
Base Cabinet	x	x

JL30	JL31A	JL31B
JL30-ES1C-FV	JL31-ES1C-FV	JL3B-ES1C-FV
100 cups	100 cups	100 cups
CE/CB/CQC	CE/CB/CQC	CE/CB/CQC
300*540*490mm	300*540*490mm	300*540*490mm
17kg	18kg	22kg
220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz
1700W	2850W	2850W
7" touch screen	7" touch screen(vertical screen)	10.1" touch screen
1200g x 1	1200g x 1	1200g x 1
Jetinno SGH64 x 1	Jetinno SGH64 x 1	Jetinno SGH64 x 1
S14/S20 (optional)	S14/S20 (optional)	S14/S20 (optional)
Thermoblock x 1	Thermoblock x 1	Thermoblock x 1
Thermoblock x 1	Thermoblock x 1	Thermoblock x 1
Piston pump x 1	Piston pump x 2	Piston pump x 2
80-160mm	80-160mm	80-160mm
x	✓	✓
40 waste cakes, direct slagging off (optional)	40 waste cakes, direct slagging off (optional)	40 waste cakes, direct slagging off (optional)
1L, direct drainage (optional)	1L, direct drainage (optional)	1L, direct drainage (optional)
✓	✓	✓
Optional, 4L	Optional, 4L	Optional, 4L
✓	✓	✓
✓	✓	✓
2L (8L) water tank, barrellled water and mains water (optional)	2L (8L) water tank, barrellled water and mains water (optional)	2L (8L) water tank, barrellled water and mains water (optional)
Optional Wifi or 4G	Optional Wifi or 4G	Optional Wifi or 4G
Optional, MDB Protocol Payment / QR Code Payment	Optional, MDB Protocol Payment / QR Code Payment	Optional, MDB Protocol Payment / QR Code Payment
Android	Android	Android
Optional	Optional	Optional
x	x	x
x	x	x
x	x	x
x	x	x

Configuration	JL35	
	JL35A	JL35B
Daily Output	250 cups	250 cups
Certification	CB,CE,CQC	CB,CE,CQC
Dimension/Net Weight	365*730*535 mm / 66kg	365*730*535 mm / 58kg
Voltage/Frequency/Rated Power	220-240V 50/60Hz/3100W	220-240V 50/60Hz/3100W
Operation Interface	14" touch screen	14" touch screen
Bean Hopper	5Lx1+2.8Lx1	5Lx1
Grinder	Ditting EMH64 x2	Ditting EMH64 x1
Espresso Brewer	P14x2 /P20 (optional)	P14x1 /P20 (optional)
Filter Brewer	x	x
Instant Canister	2.3L x1 +3.5L x1	2.3L x1 +3.5L x2
Mixer	1	2
Hot Water Boiler	Boiler x 1	Boiler x 1
Steam Boiler	Boiler x 1	Boiler x 1
Water Pump Type	Gear pump x 1	Gear pump x 1
Milk System	Cold/hot milk and cold/hot milk foam	Cold/hot milk and cold/hot milk foam
Fresh Milk Refrigerator	Optional, 4.5L	Optional, 4.5L
Spout Height	80-180mm	80-180mm
Hot Water Spout	✓	✓
Steam Wand	✓	✓
Waste Bin	80 waste cakes, direct slagging off (optional)	80 waste cakes, direct slagging off (optional)
Drip Tray	1L, direct drainage (optional)	1L, direct drainage (optional)
Wastewater Full Detection	✓	✓
Water Supply	Tap water(default), barrellled water(optional)	Tap water(default), barrellled water(optional)
Internet	WiFi (default) 4G (optional)	WiFi (default) 4G (optional)
Payment	QR code, Nayax, or other MDB protocols	QR code, Nayax, or other MDB protocols
OS	Android	Android
IOT	Optional	Optional
Body Sensor	Optional	Optional
Revere QR Code Payment	Optional	Optional
Cup Sensor	Optional	Optional
Base Cabinet	Optional	Optional

Configuration	JL28	JL300
	JL28-ES5C	JL300-ES7C
Daily Output	200 cups	150 cups
Certification	CB, CE, CQC	CB,CE,CQC
Dimension/Net Weight	420*800*660mm / 60kg	664*1830*720mm / 150kg
Voltage/Frequency/Rated Power	220-240V 50/60Hz/2700W	220-240V 50/60Hz/2800W
Operation Interface	14" touch screen(vertical screen)	21.5" touch screen(vertical screen)
Bean Hopper	1.5kg x1	1.8kg x1
Grinder	Jetinno PGH64 x 1	Jetinno PGH64 x 1
Espresso Brewer	P14/P20 (optional)	P14/P20 (optional)
Filter Brewer	x	x
Instant Canister	1.5L x 2+ 1L x2	4L x 6
Mixer	2	4
Hot Water Boiler	Boiler x 1	Boiler x 1
Steam Boiler	x	x
Water Pump Type	Gear pump x 1	Piston pump x 1
Milk System	x	x
Integrated (Ice/Cold Water)	x	Chiller
Auto Capping System	x	x
Cup Specifications	D80mm, 10Oz	D90mm, 12 Oz / 16 Oz(optional)
Cup Number	75	150
Lid Number	x	85
Cup Sleeve Number	x	x
Cup Delivery Door	Manual cup delivery door	Cup Delivery Door
Waste Bin	130waste cakes, direct slagging off (optional)	140waste cakes
Drip Tray	1.5L, direct drainage (optional)	20L
Wastewater Full Detection	✓	✓
Water Supply	Tap water(default), barrellled water(optional)	Tap water(default), barrellled water(optional)
Internet	WiFi (default) 4G (optional)	WiFi (default) 4G (optional)
Payment	QR code, Nayax, or other MDB protocols	QR code, Nayax, or other MDB protocols
OS	Android	Android
IOT	Optional	Optional
PIR Sensor/Reverse QR Code Payment	Optional	Optional
BIB/Top Light Box	Optional	Optional

JL300	
JL300-ESFB7C	JL300-IN8C
150 cups	150 cups
CB,CE,CQC	CB,CE,CQC
664*1830*720mm / 150kg	664*1830*720mm / 150kg
220-240V 50/60Hz/2800W	220-240V 50/60Hz/2800W
21.5" touch screen(vertical screen)	21.5" touch screen(vertical screen)
1.8kg x1	x
Jetinno PGH64 x 1	x
P14/P20 (optional)	x
14g x 1 (tea)	x
4L x 6	4L x 8
3	5
Boiler x 1	Boiler x 1
x	x
Piston pump x 1	Piston pump x 1
x	x
Chiller	Chiller
x	x
D90mm, 12 Oz / 16 Oz(optional)	D90mm, 12 Oz / 16 Oz(optional)
150	150
85	85
x	x
Cup Delivery Door	Cup Delivery Door
140waste cakes	x
20L	20L
✓	✓
Tap water(default), barrellled water(optional)	Tap water(default), barrellled water(optional)
WiFi (default) 4G (optional)	WiFi (default) 4G (optional)
QR code, Nayax, or other MDB protocols	QR code, Nayax, or other MDB protocols
Android	Android
Optional	Optional
Optional	Optional
Optional	Optional

Configuration	JL500		
	JL500-ES7C-PI	JL500-ESFB7C-PI	JL500-IN8C-PI
Daily Output	250 cups	250 cups	250 cups
Certification	CB,CE,PSE,CQC	CB,CE,PSE,CQC	CB,CE,PSE,CQC
Dimension/Net Weight	664*1830*700mm / 150kg	664*1830*700mm / 150kg	664*1830*700mm / 150kg
Voltage/Frequency/Rated Power	220-240V 50/60Hz/2700W	220-240V 50/60Hz/2700W	220-240V 50/60Hz/2700W
Operation Interface	27" touch screen	27" touch screen	27" touch screen
Bean Hopper	1.5kg x1	1.5kg x1	x
Grinder	Ditting EMH64 x1	Ditting EMH64 x1	x
Espresso Brewer	P14/P20 (optional)	P14/P20 (optional)	x
Filter Brewer	x	14g x 1 (tea)	x
Instant Canister	4L x 6	4L x 6	4L x 8
Mixer	4	3	5
Hot Water Boiler	Boiler x 1	Boiler x 1	Boiler x 1
Steam Boiler	x	x	x
Water Pump Type	Gear pump x 1	Gear pump x 1	Piston pump x 1
Milk System	x	x	x
Integrated (Ice/Cold Water)	Chiller	Chiller	Chiller
Auto Capping System	x	x	x
Cup Specifications	D80mm, 10Oz / 90mm, 12Oz(optional)	D80mm, 10Oz / 90mm, 12Oz(optional)	D80mm, 10Oz / 90mm, 12Oz(optional)
Cup Number	150-200	150-200	150-200
Lid Number	130 (90mm) ,optional	130 (90mm) ,optional	130 (90mm) ,optional
Cup Sleeve Number	x	x	x
Cup Delivery Door	Manual cup delivery door	Manual cup delivery door	Manual cup delivery door
Waste Bin	125waste cakes	125waste cakes	x
Drip Tray	15L	15L	15L
Wastewater Full Detection	✓	✓	✓
Water Supply	Tap water(default), barrellled water(optional)	Tap water(default), barrellled water(optional)	Tap water(default), barrellled water(optional)
Internet	WiFi (default) 4G (optional)	WiFi (default) 4G (optional)	WiFi (default) 4G (optional)
Payment	QR code, Nayax, or other MDB protocols	QR code, Nayax, or other MDB protocols	QR code, Nayax, or other MDB protocols
OS	Android	Android	Android
IOT	Optional	Optional	Optional
PIR Sensor/Reverse QR Code Payment	Optional	Optional	Optional
BIB/Top Light Box	Optional	Optional	Optional

JL510	
JL510-ES7C-PI	JL510-ESFB7C-PI
250 cups	250 cups
CB, CE, CQC	CB, CE, CQC
1000*1855*785mm / 280kg	1000*1855*785mm / 280kg
220-240V 50/60Hz/2800W	220-240V 50/60Hz/2800W
27" touch screen	27" touch screen
1.5kg x1	1.5kg x1
Ditting EK7 x 1	Ditting EK7 x 1
P14/P20 (optional)	P14/P20 (optional)
x	14g x 1 (tea)
4L x 6	4L x 6
4	3
Boiler x 1	Boiler x 1
x	x
Gear pump x 1	Gear pump x 1
x	x
Ice maker, option water cooler	Ice maker, option water cooler
x	x
D90mm, 12 Oz / 16 Oz(optional)	D90mm, 12 Oz / 16 Oz(optional)
150	150
130	130
x	x
Cup Delivery Door	Cup Delivery Door
125waste cakes	125waste cakes
15L, direct drainage (optional)	15L, direct drainage (optional)
✓	✓
Tap water(default), barrellled water(optional)	Tap water(default), barrellled water(optional)
WiFi (default) 4G (optional)	WiFi (default) 4G (optional)
QR code, Nayax, or other MDB protocols	QR code, Nayax, or other MDB protocols
Android	Android
Optional	Optional
Optional	Optional
Optional	Optional

Configuration	JL550		
	JL550-ES7C-PI-Y	JL550-ESFB7C-PI-Y	JL550-IN8C-PI-Y
Daily Output	250 cups	250 cups	250 cups
Certification	CB,CE,PSE,CQC	CB,CE,PSE,CQC	CB,CE,PSE,CQC
Dimension/Net Weight	664*1830*700mm / 150kg	664*1830*700mm / 150kg	664*1830*700mm / 150kg
Voltage/Frequency/Rated Power	220-240V 50/60Hz/2700W	220-240V 50/60Hz/2700W	220-240V 50/60Hz/2700W
Operation Interface	27" touch screen	27" touch screen	27" touch screen
Bean Hopper	1.5kg x1	1.5kg x1	x
Grinder	Ditting EMH64 x1	Ditting EMH64 x1	x
Espresso Brewer	P14/P20 (optional)	P14/P20 (optional)	x
Filter Brewer	x	14g x 1 (tea)	x
Instant Canister	4L x 6	4L x 6	4L x 8
Mixer	4	3	5
Hot Water Boiler	Boiler x 1	Boiler x 1	Boiler x 1
Steam Boiler	x	x	x
Water Pump Type	Gear pump x 1	Gear pump x 1	Piston pump x 1
Milk System	x	x	x
Integrated (Ice/Cold Water)	Chiller	Chiller	Chiller
Auto Capping System	✓	✓	✓
Cup Specifications	D90mm, 16 Oz	D90mm, 16 Oz	D90mm, 16 Oz
Cup Number	150	150	150
Lid Number	130	130	130
Cup Sleeve Number	x	x	x
Cup Delivery Door	Manual cup delivery door	Manual cup delivery door	Manual cup delivery door
Waste Bin	125waste cakes	125waste cakes	x
Drip Tray	15L	15L	15L
Wastewater Full Detection	✓	✓	✓
Water Supply	Tap water(default), barrellled water(optional)	Tap water(default), barrellled water(optional)	Tap water(default), barrellled water(optional)
Internet	WiFi (default) 4G (optional)	WiFi (default) 4G (optional)	WiFi (default) 4G (optional)
Payment	QR code, Nayax, or other MDB protocols	QR code, Nayax, or other MDB protocols	QR code, Nayax, or other MDB protocols
OS	Android	Android	Android
IOT	Optional	Optional	Optional
PIR Sensor/Reverse QR Code Payment	Optional	Optional	Optional
BIB/Top Light Box	Optional	Optional	Optional

JL560		JL8521
JL560-ES7C-PI-Y	JL560-ESFB7C-PI-Y	JL8521-ESFB7C6S-FM-Y
250 cups	250 cups	300 cups
CB, CE, CQC	CB, CE, CQC	CB, CE, CQC
1000*1855*785mm / 280kg	1000*1855*785mm / 280kg	1000*1900*1000 mm / 450kg
220-240V 50/60Hz/2800W	220-240V 50/60Hz/2800W	220-240V 50/60Hz/3800W
27" touch screen	27" touch screen	32" touch screen
1.5kg x1	1.5kg x1	1.8kg x1
Ditting EK7 x 1	Ditting EK7 x 1	Ditting EMH64 x1 / Jetinno PGH64 (optional)
P14/P20 (optional)	P14/P20 (optional)	P14/P20 (optional)
x	14g x 1 (tea)	14g x 1 (tea)
4L x 6	4L x 6	4L x 6
4	3	3
Boiler x 1	Boiler x 1	Boiler x 2
x	x	Boiler x 1
Gear pump x 1	Gear pump x 1	Vane pump x 1
x	x	Cold/hot milk and cold/hot milk foam
Ice maker, option water cooler	Ice maker, option water cooler	Ice maker water cooler integrated
✓	✓	✓
D90mm, 16 Oz	D90mm, 16 Oz	D90mm, 16 Oz
150	150	150
130	130	130
x	x	150
Cup Delivery Door	Cup Delivery Door	Cup Delivery Door
125waste cakes	125waste cakes	125waste cakes
15L, direct drainage (optional)	15L, direct drainage (optional)	20L, direct drainage (optional)
✓	✓	✓
Tap water(default), barrellled water(optional)	Tap water(default), barrellled water(optional)	Tap water(default), barrellled water(optional)
WiFi (default) 4G (optional)	WiFi (default) 4G (optional)	WiFi (default) 4G (optional)
QR code, Nayax, or other MDB protocols	QR code, Nayax, or other MDB protocols	QR code, Nayax, or other MDB protocols
Android	Android	Android
Optional	Optional	Optional
Optional	Optional	Optional
Optional	Optional	Optional