



# XESW-03HS-EDDN

Project \_\_\_\_\_

Item \_\_\_\_\_

Quantity \_\_\_\_\_

Date \_\_\_\_\_

Model  
**BAKERLUX SPEED.Pro™**

- Convection oven
- Electric
- 3 trays 460x330 (BAKE)
- Drop-down door opening
- 6" Touch control panel
- 1 tray 450x330 (SPEED)



## DESCRIPTION

BAKERLUX SPEED.Pro™ is the world's first and only speed baking oven: a convection oven and a speed baking oven in a single piece of equipment. Thanks to the large baking chamber of the BAKERLUX SPEED.Pro™, you can use the Bake mode to bake up to 3 460 x 330 trays of bakery or pastry products, even frozen ones, obtaining perfectly uniform results. The Speed mode allows you to cook and regenerate food, in single or multiple portions, in record time thanks to the combination of controlled hot air flows, microwave technology and the special Speed.Plate baking tray that transmits heat by contact, perfectly toasting all bread-based products.

## STANDARD COOKING FEATURES

### Manual cooking

- **Temperature:** 30 °C – 260 °C
- Up to 9 cooking steps
- 24 fast programs (12 Speed and 12 Bake)

### Programs

- 384 programs Bake
- 384 programs Speed
- **CHEFUNOX:** choose something to cook from the library and the oven will automatically set all the parameters (Bake)
- **SPEEDUNOX:** choose something to cook from the library and the oven will automatically set all the parameters (Speed)

## STANDARD TECHNICAL FEATURES

- Stainless steel AISI 304 cooking chamber
- Baking chamber with integrated tray supports
- Visual display of the baking status by means of multicoloured LEDs
- Crumb collection system integrated in the filter under the door
- Proximity door contact switch
- **Wi-Fi / USB data:** download/upload HACCP data
- **Wi-Fi / USB data:** download/upload programs

## ADVANCED AND AUTOMATIC COOKING FEATURES

### Unox Intelligent Performance

- **ADAPTIVE.Cooking™:** automatically regulates the cooking parameters to ensure repeatable results
- **SMART.Preheating:** sets automatically the temperature and the duration of the preheating
- **AUTO.Soft:** manages the heat rise to make it more delicate

### Unox Intensive Cooking

- **SPEED.Plus:** generates microwaves and distributes them evenly throughout the baking chamber
- **DRY.Plus:** extracts humidity from the cooking chamber
- **AIR.Plus:** multiple fans with reverse gear and 2 speed settings





### Data Driven Cooking

- Control and monitor the operating conditions of your ovens in real-time, create and share new recipes. The AI transforms the consumption data into useful information in order to increase your daily profit. Create, understand, improve

## APP & WEB SERVICES

- Data Driven Cooking app & webapp
- Top Training app
- Combi guru app





## DIMENSIONS AND WEIGHT

Width	600 mm
Depth	797 mm
Height	523 mm
Net Weight	89 kg
Pan spacing	75 mm

## CONNECTION POSITIONS

2	Terminal board power supply	12	Hot fumes exhaust chimney
3	Unipotential terminal	13	Accessories connection
6	Technical data plate	27	Cooling air outlet
7	Safety thermostat		

## POWER SUPPLY

### STANDARD

Voltage	380-415V V
Phase	~3PH+N+PE
Frequency	50 Hz
Total power	6.6 kW
Maximum Amp Draw	14 A
Required breaker size	16 A
Power cable requirement	H07RN-F 5G 5G
Cord diameter	13 mm
Plug	NOT INCLUDED

### OPTION A

Voltage	220-240V V
Phase	~3PH+PE
Frequency	50 Hz
Total power	6.6 kW
Maximum Amp Draw	26.5 A
Required breaker size	32 A
Power cable requirement	H07RN-F 4G 4G
Cord diameter	13 mm
Plug	NOT INCLUDED

### OPTION B

Voltage	220-240V V
Phase	~1PH+N+PE
Frequency	50 Hz
Total power	6.6 kW
Maximum Amp Draw	29.5 A
Required breaker size	32 A
Power cable requirement	H07RN-F 3G 3G
Cord diameter	13 mm
Plug	NOT INCLUDED

## ACCESSORIES

- **SPRAY&Rinse:** Practical spray detergent to manually clean all kinds of oven. Degreases and removes all kind of dirt
- **Baking Essentials:** special trays for BAKE mode
- **Speed Essentials:** special trays and spatulas for SPEED mode
- **Ethernet:** Connection board to keep the oven connected to Unox and DDC.App
- **Wi-Fi:** Connection board to keep the oven connected to UNOX cloud mandatory to extend warranty

## INSTALLATION REQUIREMENTS

Installations must comply with all local electrical systems, particularly as for minimum wire gauge required for field connection, hydraulic and ventilation supply. Exhaust and fume analysis must be performed in case of gas ovens.

Register to access data and product specifications  
[infonet.unox.com](http://infonet.unox.com)

